



Upper Ground Floor

SERVERY SHUTTER TO BE REPLACED WITH NEW IHR FIRE RESISTANT SHUTTER INCLUDING PERSONELLE DOOR (BARNSELY CATERING) - ASBESTOS BEHIND PLATE WARMERS BELOW EXISTING SHUTTERS TO BE REMOVED (BARNSELY CATERING)

ADEQUATE EXTRACT VENTILATION TO BE ADDED (BARNSELY CATERING)

REPLACE APPROX 6M CHANNEL FLOOR GULLIES (BARNSELY CATERING)

REPLASTER ALL WALLS (INCLUDING BLOCKING OUT EXISTING ROOF LIGHT AS PART OF THE ROOF WORKS)

Contractor to be responsible for temporary support of structures during demolition.

All new blockwork walls to be fully bonded or have starter connectors as [F30:241]

Sheffield Design & Property Architects Division

3-10 CARBROOK HALL ROAD SHEFFIELD S9 2DB
 Tel: 0114 2736036 Fax: 01142 2736299 Email: admin@sheffdesign.com

| REV | DATE | REVISIONS |
|-----|----------|---|
| P | 16-06-03 | Fire compartmentation line added. Fire compartmentation specification amended |

| REV | DATE | REVISIONS |
|-----|----------|--|
| H | 28-08-03 | Status changed to Doors 013.014.028.038.061.063.064.067.087.095.096. Fire equip added. Details added |
| I | 30-09-02 | Sections added, Gullies added, General revisions |
| J | 18-10-02 | Belfast sink added to Room 95 |
| K | 28-10-02 | General Specification notes added |
| L | 14-03 | Door ND101 changed to ED101 |
| M | 21-04-03 | Partitions in Phase 1 added |
| N | 09-06-03 | Alterations to rooms 21 & 22. Cleaners' sinks added to Rooms 40 & 44-0 |

| CLIENT | STATUS | DATE |
|------------------------------------|------------------|----------|
| Education | Working Drawings | 11:00 |
| Parkwood High School Refurbishment | | 27-05-02 |
| Proposed Upper Ground Floor Plan | | |

Sheffield City Council
 Development Environment & Culture
 Sheffield Design & Property

AX165 AL(0)134P