



Drainage:

RAINWATER GOODS
 All rainwater goods to be powder coated aluminium.
 Hoppers from roof outlets connecting to 76.2mm square downpipes including all necessary brackets and fixings.

INTERNAL ABOVE GROUND
 Sinks: 50mm Ø white plastics wastes.
 Basins: 32mm Ø white plastic wastes.
 WCs: 110mm Ø plastics wastes

COVERS
 F01, F02, F03 & S01 to be raised to suit new internal level and have inset type screw down, double seal covers to receive carpet floor finish.

BELOW GROUND
 110mm Ø plastic
 All pipes beneath building with less than 300mm from underside of floor slab to be encased in 150mm surround weak mix concrete to the approval of the BCO.

- Notes:**
- This document is the property of Nottingham City Council and may not be used, copied or reproduced in whole or in part in anyway without express prior written consent.
 - Any Ordnance Survey map shown on this drawing is reproduced from Ordnance Survey material with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office - Crown Copyright. Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings. Nottingham City Council 100019317 2004.
 - Do not scale from this drawing. All dimensions to be taken from dimensioned drawings only. Dimensions shown are indicative and are to be checked on site prior to the commencement of work or ordering of any materials. Discovery of major discrepancies are to be immediately brought to the attention of the Contract Administrator.
 - All drawings to be read in conjunction with all other contract documents.
 - Asbestos**
 The contractor will be advised of the presence of any known asbestos materials in the property. The contractor must view and sign the Asbestos Log Book which is retained in all Nottingham City Council properties. If the contractor discovers any material which they feel may contain asbestos, they must cease work immediately and contact the Contract Administrator for further instructions. All asbestos materials identified for removal must be removed by an approved licensed contractor. A method statement will be required for any such work.
 - Safety Standards**
 It is the aim of Nottingham City Council that all construction or related projects are carried out to the highest safety standards to ensure as far as is reasonably practicable that the project is completed safely with no major accidents or injuries. Operatives, authorised visitors and members of the public should not be put at risk during the works.

Revisions:	Drawn	Checked	Date
B RWP6 added including associated drain S8	KNS	ZT	16-05-08
A Notes added	KNS	ZT	11-12-07

Design Services
 Resources Department
 Severns House
 20 Middle Pavement
 Nottingham
 NG1 7DW
 Tel. 0115 915 5555
 Fax. 0115 915 8156

Project
 Edna G Olds Primary School
 Proposed Nursery
Title
 Proposed
 Drainage

Scale:	Ward:	Area
1:50	Dunkirk & Lenton	Committee: 8
Drawn:	Checked:	Date:
KNS	ZT	07-11-07

Drawing No:
 EDU 534 / 006

Church Street